


<h1>23F23</h1> <h2>2.3 RM</h2>	Trait Options		Geographic Adaptation			PRO-FIT Placement			
		Western West of Miss. River	HR	Moves South well for early season variety	R	Top yields from East to West			
		Central (I-35 to I-65)	HR			Solid agronomic package			
		Eastern East of Miss. River	HR	Moves North well for full season variety	HR	Taller plant type			
					A very versatile variety				
General Characteristics			Agronomic Features			Disease Tolerance			
Plant Height	Tall	Yield for Maturity	Excellent	Brown Stem Rot	Susceptible				
Canopy/Plant type	Medium	Emergence	Excellent	Frogeye Leaf Spot	NA				
Growth Habit	Medium	Standability	Very Good	Iron Chlorosis	Good				
Flower Color	Purple	Shatter Resistance	Very Good	Phytophthora Field Tolerance	Good				
Hilum Color	Imp.Black	Stress Tolerance	Very Good	SDS Tolerance	Good				
Pod Color	Brown	SCN Resistance Source	PI88788	White Mold	Very Good				
Pubescence	Gray	Phytophthora Res. Source	1c	Stem Canker	NA				
Protein	38.3%	No-Till Adaptability	Very Good	Root Knot	NA				
Oil	22.8%			Cover Crop Companion	Fair				
Soil Placement		Recommended Seeding Rates			Herbicide Tolerance				
Light Soils: Low O.M., Low CEC, Low water holding capacity.	HR	Row Width	Less than 130k	130k to 150k	More than 150k	Conventional		Dicamba	
Medium Soils: O.M. 1.5-3.5%, CEC 11-20, Good productivity, well drained silt loams.	HR	30" Rows	R	HR	R	Glyphosate		2,4-D	
Heavy Soils: High O.M. >3.5%, CEC >20, Well drained highly productive with deep top soil	HR	20" Rows	R	HR	R	Glyphosate		2,4-D	
	HR	15" Rows	NR	HR	HR	Glufosinate		Callisto	
Poorly Drained Soils: Soils that tend to remain saturated for extended periods of time.	HR	7.5" Rows	NR	NR	R	Sulfonylurea		Isoxoflutol	
<small>Population ranges are listed in 1000 seeds/acre</small>									
NR=Not Recommended, R=Recommended, HR=Highly Recommended									
Notes:									

