

29C24 2.9 RM		Trait Options	Geographic Adaptation			PRO-FIT Placement			
		Conventional	Western West of Miss. River	HR	Moves South well for early season variety	HR	A variety with yield and dual SCN protection!		
Central (I-35 to I-65)	HR		Moves North well for full season variety	HR		Very consistent yields			
Eastern East of Miss. River	HR			Rps1k for Phytophthora					
General Characteristics		Agronomic Features				Disease Tolerance			
Plant Height	Medium	Yield for Maturity	Very Good			Brown Stem Rot	NA		
Canopy/Plant type	Med-Bush	Emergence	Excellent			Frogeye Leaf Spot	NA		
Growth Habit	Medium	Standability	Very Good			Iron Chlorosis	Very Good		
Flower Color	Purple	Shatter Resistance	Very Good			Phytophthora Field Tolerance	Very Good		
Hilum Color	Buff	Stress Tolerance	Very Good			SDS Tolerance	Very Good		
Pod Color	Tan	SCN Resistance Source	437654/PI88788			White Mold	Very Good		
Pubescence	Gray	Phytophthora Res. Source	1k			Stem Canker	NA		
Protein	32.6%	No-Till Adaptability	Excellent			Root Knot	NA		
Oil	20.2%					Cover Crop Companion	Excellent		
Soil Placement		Recommended Seeding Rates				Herbicide Tolerance			
Light Soils: Low O.M., Low CEC, Low water holding capacity.	HR	Row Width	Less than 130k	130k to 150k	More than 150k	Conventional		Dicamba	
Medium Soils: O.M. 1.5-3.5%, CEC 11-20, Good productivity, well drained silt loams.	HR	30" Rows	R	HR	R	Glyphosate		2,4-D	
Heavy Soils: High O.M. >3.5%, CEC >20, Well drained highly productive with deep top soil	HR	20" Rows	R	HR	R	Glufosinate		Callisto	
Poorly Drained Soils: Soils that tend to remain saturated for extended periods of time.	HR	15" Rows	NR	HR	HR	Sulfonylurea		Isoxoflutol	
		7.5" Rows	NR	NR	R				
<small>Population ranges are listed in 1000 seeds/acre</small>									
NR=Not Recommended, R=Recommended, HR=Highly Recommended									
Notes:									

